



CEMENT PRODUCTS - DECLARATION OF PERFORMANCE


2797-CPR-782766

- 1. Unique identification of the product type**
Portland Limestone Cement EN 197-1 CEM II/A-L 42,5N
- 2. Type, batch or serial number or any other element allowing identification of the product**
CEMCOR Portland Limestone Cement EN 197-1 CEM II 42,5N
- 3. Intended use of uses of the product, in accordance with the applicable harmonised technical specification**
Preparation of concrete, mortar, grout, etc.
- 4. Name and registered address of manufacturer**
CEMCOR Ltd
Cookstown Plant
Sandholes Road
Cookstown
Co. Tyrone
BT80 9AP
- 5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):**
Not applicable
- 6. System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR Annex V:**
System 1+
- 7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:**
Notified product certification body No. 2797 performed the determination of product-type testing (including sampling), the initial inspection of the manufacturing plant and of factory production control, the continuous surveillance, assessment and evaluation of factory production control and the audit-testing of samples taken before placing the product on the market under system 1+ and issued the certificate of constancy of performance.
- 8. Declared Performance**
Refer to table attached



9. Declared Performances

The performance of the product identified in points 1 & 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

		
CEMCOR Ltd Cookstown Co. Tyrone Northern Ireland		
EN 197-1:2011 23 2797-CPR-782766 Cement: Composition, specification and conformity criteria for common cements		
Essential Characteristics	Declared Performance	Harmonised Technical Standard
Common Cements	CEM II/A-L	EN 197-1:2011
Compressive Strength	42,5N	
Setting Time	Pass	
Insoluble Residue	Pass	
Soundness - Expansion - SO3 Content	Pass	
Chloride Content	Pass	

Signed for and on behalf of the manufacturer by:



Alistair Wilkinson
Quality Manager

19th January 2023